
PRODUCT RANGE

WATERPROOFING SOLUTIONS



... we make better polymers

LUCOBIT AG
the EBA Company
(Ethylene-Butyl-Acrylate)

WATERPROOFING SOLUTIONS

POLYMERS	TYPE	COLOR	FORM	CONTENT COMONOMER (BUTYL ACRYLATE)	MFR, 190° C, 2,16 KG	DENSITY AT 23°C
				%	CM ³ /10 MIN	G/CM ³
				DIN 51451	ISO 1133	ISO 1183
Lucofin 1400 HN	EBA	natural	granules			
Lucofin 1400 MN	EBA	natural	granules			
Lucofin 1400 PN	EBA	natural	granules			

ADDITIVES	TYPE	COLOR	FORM	CONTENT COMONOMER (BUTYL ACRYLATE)	MFR, 190° C, 2,16 KG	DENSITY AT 23°C
				%	CM ³ /10 MIN	G/CM ³
				DIN 51451	ISO 1133	ISO 1183
EBA 70 1862	EBA	grey	granules			
EBA 70 1861	EBA	grey	granules			
EBA 70 900798	EBA	white	granules			
EBA 950 283	EBA	black	granules			


MASTER-BATCHES 60%	TYPE	COLOR	FORM	CONTENT COMONOMER (BUTYL ACRYLATE)	MFR, 190° C, 2,16 KG	DENSITY AT 23°C
				%	CM ³ /10 MIN	G/CM ³
				DIN 51451	ISO 1133	ISO 1183
Lucobatch 1410-1455 MB_E	TPO	dust grey, acc. RAL 7037	granules			
Lucobatch 1410-t3	TPO	dust grey, acc. RAL 7037	granules			
Lucobatch 1412 FR-HI	TPO	light grey acc. RAL 7035	granules			
Lucobatch 1412-t3 HI	TPO	light grey acc. RAL 7035	granules			
Lucobatch 1412-t3 MB70	TPO	light grey acc. RAL 7035	granules			
Lucobatch 1412 MB_E	TPO	light grey acc. RAL 7035	granules			
Lucobatch 1413-t3 HI	TPO	dust grey, acc. RAL 7037	granules			
Lucobatch 1455 MB_E	TPO	black	granules			
Lucobatch 1850 T10	TPO	black	granules			

READY MIXED COMPOUNDS TPO 100%	COLOR	FORM	MFR, 190° C, 2,16 KG	DENSITY AT 23°C
			CM ³ /10 MIN	G/CM ³
			ISO 1133	ISO 1183
Lucofin 1410 M	dusty grey, acc. RAL 7037	granules		
Lucofin 1410	dusty grey, acc. RAL 7037	granules		
Lucofin 1410-1414-t1	dusty grey, acc. RAL 7037	granules		
Lucofin 1410-1414-t2	dusty grey, acc. RAL 7037	granules		
Lucofin 1410-1414-t3	dusty grey, acc. RAL 7037	granules		
Lucofin 1410-1455	dusty grey, acc. RAL 7037	granules		
Lucofin 1410-t1-t3	dusty grey, acc. RAL 7037	granules		
Lucofin 1411 M	pure white, acc. RAL 9010	granules		
Lucofin 1411	pure white, acc. RAL 9016	granules		
Lucofin 1411-t1-t3	pure white, acc. RAL 9016	granules		
Lucofin 1412 M	light grey, acc. RAL 7035	granules		
Lucofin 1412	light grey, acc. RAL 7036	granules		
Lucofin 1412-t1-t3	light grey, acc. RAL 7037	granules		
Lucofin 1413	iron grey, acc. RAL 7011	granules		
Lucofin 1413-t1-t3	iron grey, acc. RAL 7011	granules		
Lucofin 1414	silk grey, acc. RAL 7044	granules		
Lucofin 1414-t1-t3	silk grey, acc. RAL 7044	granules		
Lucofin 1415	signal white acc. to RAL 9003	granules		
Lucofin 1453	oxyde red acc. RAL 3009	granules		
Lucofin 1454	grass green acc. RAL 6025	granules		
Lucofin 1455 M	black	granules		
Lucofin 1455P	black	granules		

READY MIXED COMPOUNDS ECB 100%	COLOR	FORM	MFR, 190° C, 2,16 KG	DENSITY AT 23°C
			CM ³ /10 MIN	G/CM ³
			ISO 1133	ISO 1183
Lucobit 1218	black	granules		
Lucobit 1233	black	granules		
Lucobit 1233 TR	black	granules		
Lucobit 1235	black	granules		

READY MIXED COMPOUNDS EBT 100%	COLOR	FORM	MFR, 190° C, 2,16 KG	DENSITY AT 23°C
			CM ³ /10 MIN	G/CM ³
			ISO 1133	ISO 1183
Lucolit 1310	olive grey acc. to RAL 7002	granules		
Lucolit 1320	grey beige acc. to RAL 1019	granules		
Lucolit 1321	water blue acc. to RAL 5021	granules		
Lucolit 1322	clay brown acc. to RAL 8003	granules		
Lucolit 1323	reseda green acc. to RAL 6011	granules		

LOCATIONS



LUCOBIT FLAT ROOF ACCESSORIES

see our brochure online

www.lucobit.de/en/building-construction

LUCOBIT Aktiengesellschaft
 Basell Polyolefine GmbH / Brühler Str. 60 • B100
 D-50389 Wesseling
 Phone +49 2236 / 37859-0
 Fax +49 2236 / 37859-99
 info@lucobit.de
 www.lucobit.com

Note

The information provided in this document is based on our product tests and present technical knowledge. It does not release purchasers from the responsibility of carrying out their receiving inspections. Neither does it imply any binding assurance of suitability of our products for a particular purpose. As LUCOBIT cannot anticipate or control the many different conditions under which this product may be processed and used this information does not relieve processors from their own tests and investigations. Any proprietary rights as well as existing legislation shall be observed.