
PRODUCT RANGE

AGRICULTURE




... we make better polymers

LUCOBIT AG
the EBA Company
(Ethylene-Butyl-Acrylate)

GRADE	TYPE	COLOR	PARTICLE SIZE	GENERAL DATA		MECHANICAL DATA						APPLICATION	OTHERS			
				BA-CONTENT	DENSITY AT 23°C	TENSILE STRENGTH AT BREAK, (MD/TD)	ELONGATION AT BREAK (MD/TD)	MELT INDEX (MFI, 190°C/ 2,16 KG)	MELTING POINT (°C)	WATER ABSORPTION	PH VALUE 1 % BY WEIGHT IN WATER			MONOMER CONTENT	KALIUM CONTENT	
				%	KG/M ³	MPA	%	G/10 MIN	°C	ML/G	%			%	%	
				INTERNAL	ISO 1183	ISO 527-2	ISO 527-2	ISO 1133	ISO 3146							
Plant growth	Lucoplant 205x	-	white	up to 5,00	-	0,56	8,0	770	-	-	≥ 350	6-7,5	≤ 500	≤ 17,8		
	Lucoplant 220x	-	white	up to 0,20-0,80	-	0,56	14,0	700	-	-	≥ 350	6-7,5	≤ 500	≤ 17,8		
	Lucoplant 230x	-	white	up to 0,30-1,00	-	0,56	12,0	800	-	-	≥ 350	6-7,5	≤ 500	≤ 17,8		

LOCATIONS



LUCOBIT Aktiengesellschaft
Basell Polyolefine GmbH / Brühler Str. 60 • B100
D-50389 Wesseling
Phone +49 2236 / 37859-0
Fax +49 2236 / 37859-99
info@lucobit.de
www.lucobit.com

Note
The information provided in this document is based on our product tests and present technical knowledge. It does not release purchasers from the responsibility of carrying out their receiving inspections. Neither does it imply any binding assurance of suitability of our products for a particular purpose. As LUCOBIT cannot anticipate or control the many different conditions under which this product may be processed and used this information does not relieve processors from their own tests and investigations. Any proprietary rights as well as existing legislation shall be observed.