

# Safety Information Lucosoil® 2400D

#### 1. Identification of substance

Trade name:

Lucosoil®2400D

Manufacturer/Supplier:

**LUCOBIT AG** 

Brühler Str. 60 • Basell Polyolefine GmbH • B100 D-50389 Wesseling, Tel.: +49 (0) 22 36/3 78 59 0

Emergency information: Basell Fire Brigade Wesseling Tel.: +49 (0) 22 36/72-25 55

#### 2. Hazards identification

This product is a preparation and is, according to EEC directives 1999/45, 67/548, or Regulation (EC) No 1272/2008, and following amendments, not classified as hazardous.

This product does not contain any of the Annex 14 candidate chemicals proposed to be SVHC above 0,1% threshold as stated in REACh, (1907/2006/EC, art. 57).

For this product a Safety Data Sheet acc. REACH Regulation 1907/2006 Article 31 is not required.

#### 3. Chemical characterization

Description: Aqueous polymer compound (dispersion

in water) based on vinylacetate.

Dangerous components: Void

#### 4. First aid measures

No special measures required.

After inhalation: no special measures required

After skin contact: wash with plenty of water or water

and soap. Do not let the product to dry up.

After eye contact: Rinse opened eye for minimum 15

minutes under running water.

After swallowing: In cases of sickness seek medical

advice

#### 5. Firefighting measures

Product does not burn, dried up material is combustible.

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>).

Suitable extinguishing agents: not applicable Unsuitable extinguishing agents: not applicable Protective equipment: Use respiratory protection independent of recirculated air.

#### 6. Accidental release measures

Wear personal protection equipment.

Particular danger of slipping on leaked/spilled product.

#### 7. Handling and storage

No special protective measures required. Protect against freezing.

### 8. Exposure controls and personal protection

No components with limited values that require monitoring at the workplace.

Ensure ventilation of work areas and extraction of dust or vapors likely to be given off during conversion operations.

Wear rubber gloves and protective goggles.

#### 9. Physical and chemical properties

Form: liquid
Colour: off-white

pH: 4-5

Viscosity(20°C): 2000 - 2800 mPa.sDensity (23°C): app. 1-1.2 g/cm3 Solubility in Water: dispersion in water

#### 10. Stability and reactivity

The product is stable when handled and stored under normal conditions.

#### 11. Toxicological information

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### 12. Ecological information

The product is not readily biodegradable.

The product is not toxic, small particles can have physical



# Safety Information Lucosoil® 2400D

effects on water and soil organisms.



# Safety Information Lucosoil® 2400D

#### 13. Disposal considerations

Disposal through controlled incineration or authorized waste dump.

Disposal must be done according to official regulations.

Recommended cleaning agent is water. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Flush away residues with water.

#### 14. Transport information

According to national and international guidelines, which regulate the road-, rail-, air- and sea transport, this product is classified as not dangerous.

#### 15. Regulatory information

Designation according to EC guidelines: not classified.

#### 16. Other information

Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof, our company makes no representations as of the completeness or accuracy thereof information is supplied upon the condition that persons receiving the same will make their own determination as to safety and suitability for their purposes prior to use. In no event will our company be responsible for damages of any nature whatsoever resulting from the use of reliance upon information. No representations of warranties either expressed or implied, or merchantability, fitness for a practical purpose or of any other nature are made hereunder with respect to information or the product to which the information refers.